

# Configuring Wireless With wpa\_cli

This article is for folks who are choosing not to use NetworkManager for their wireless.

If you are running FluxBox or some other lightweight window manager, you may find it useful to configure wireless in the manner described below.

If you are interested in having wireless internet without having to run X at all, this article may also be of interest.

- Make sure that NetworkManager is turned off.  
Open your favorite terminal emulator, and make yourself root.  
Then try this command in bash:

```
chmod 644 /etc/rc.d/rc.networkmanager
```

- rc.wireless should also be turned off.  
Run these commands:

```
chmod 644 /etc/rc.d/rc.wireless  
chmod 600 /etc/rc.d/rc.wireless.conf
```

- You might want to restart your machine at this point.  
(Before doing so, you should ideally have another machine like a laptop or a tablet available so you can keep reading this documentation.)
- After booting, log back in as a regular user and make yourself root again.
- Check to ensure that wpa\_supplicant is not currently running:

```
ps aux | grep wpa
```

You may get back something like:

```
root      1337  0.0  0.0 28268 1468 ?        Ss   14:23   0:00  
wpa_supplicant -B -i wlan0 -D wext -c /etc/wpa_supplicant.conf  
root      4146  0.0  0.0  7136  968 pts/1    S+   16:53   0:00 grep wpa
```

- In this case the process id or pid for wpa\_supplicant is 1337.
- This means you need to terminate the wpa\_supplicant process:

```
wpa_cli terminate
```

- Edit wpa\_supplicant.conf with your text editor. The command with vim is:

```
vim /etc/wpa_supplicant.conf
```

It needs to look like:

```
ctrl_interface=/var/run/wpa_supplicant
```

```
update_config=1
```

Change it to that, removing all other lines and save it.

- Start `wpa_supplicant` from the command line:

```
wpa_supplicant -B -i wlan0 -D wext -c /etc/wpa_supplicant.conf
```

This will work for most people. There are other driver options like `nl80211`, but I have not had good luck with them.

`wpa_supplicant` should start up successfully. If you get a message about an `RFKILL` error you can probably ignore it.

- Run `wpa_cli` from the command line:

```
wpa_cli
```

It should start up and report that `wpa_supplicant` is running.

- Now configure your wireless setup, waiting a little between each command:

```
scan  
scan_results
```

`scan` should return `OK` and `scan_results` should list your wireless router after a short wait.

- If all is well, then continue.

```
add_network  
set_network 0 ssid "Your_Wireless_SSID_Here"  
set_network psk "Your_Password_Here"
```

`add_network` should return `0`. If it returns some other number you may want to run `remove_network` on the numbers below the returned value and start over.

If you only have one wireless network, it really should be network zero.

- store your new setup to the `wpa_supplicant.conf` file:

```
save_config
```

The last command should save your config and return `OK`. If it says `FAIL` you may have a driver issue or have mistyped something in your `wpa_supplicant` startup command.

You can now quit `wpa_cli` by typing `quit` and hitting enter.

- Remove the `update_config` line from `wpa_supplicant.conf`:

```
vim /etc/wpa_supplicant.conf
```

Just remove "update\_config=1" from the file.  
Your SSID and the password should now be written into the config file.

- Run dhcpcd:

```
dhcpcd wlan0
```

That should get you online.

- To automate this so it happens each time your system boots up:
- Open your text editor:

```
vim /etc/rc.d/rc.local
```

- add these two lines:

```
wpa_supplicant -B -i wlan0 -D wext -c /etc/wpa_supplicant.conf  
dhcpcd
```

- Save your changes.
- Log out of your superuser session using Ctrl-D or exit.
- Enjoy having wireless outside of X and in your window manager of choice.

## Sources

- Original source for some content: [https://wiki.archlinux.org/index.php/WPA\\_supplicant](https://wiki.archlinux.org/index.php/WPA_supplicant)
- Originally written by [User slackwood](#)

[howtos](#), [author](#), [slackwood](#)

From:  
<https://docs.slackware.com/> - **SlackDocs**

Permanent link:  
[https://docs.slackware.com/howtos:misc:wireless\\_with\\_wpa\\_cli](https://docs.slackware.com/howtos:misc:wireless_with_wpa_cli)

Last update: **2018/10/22 14:34 (UTC)**

