

# Install and configuring kerberos On Slackware without PAM

## The KDC

This procedure will result in a new Kerberos realm. If you already have access to a Kerberos KDC, you can skip to the client and application server parts. Also, the below procedure is very abbreviated and is not a substitute for reading the documentation supplied in the package or on the MIT Kerberos website.

1. Install krb (you can download and build it from <http://slackbuilds.org/repository/14.1/network/krb5/>)
2. Configure /etc/krb5.conf, /var/krb5kdc/kdc.conf and /var/krb5kdc/kadm5.acl . These files are examples which you should adjust after reading the Kerberos documentation.

### krb5.conf

```
[domain_realm]
    example.com = EXAMPLE.COM
    .example.com = EXAMPLE.COM

[libdefaults]
    default_realm = EXAMPLE.COM
    dns_kdc_lookup = true
    dns_realm_lookup = true
    forwardable = true
    renewable = true
    [realms]

EXAMPLE.COM = {
    kdc = kerberos-1.example.com:88
    kdc = kerberos-2.example.com:88
    admin_server = kerberos-1.example.com:749
}
```

### kdc.conf

```
[kdcdefaults]
    kdc_ports = 749,88

[realms]
    EXAMPLE.COM = {
        database_name = /var/krb5kdc/principal
        admin_keytab = FILE:/var/krb5kdc/kadm5.keytab
        acl_file = /var/krb5kdc/kadm5.acl
        key_stash_file = /var/krb5kdc/.k5.EXAMPLE.COM
        kdc_ports = 749,88
        max_life = 10h 0m 0s
```

```
        max_renewable_life = 7d 0h 0m 0s
        supported_keytypes = aes256-cts des-cbc-crc des-cbc-md5
    }
```

## kadm5.acl

```
krb5adminprinc/admin *
```

### 3. Create DataBase

```
/usr/kerberos/sbin/kdb5_util create -r EXAMPLE.COM -s
```

### 4. Extract the admin server keys to /var/krb5kdc/kadm5.keytab.

```
/usr/kerberos/sbin/kadmin.local
kadmin.local: xst -k /var/krb5kdc/kadm5.keytab kadmin/admin kadmin/changepw
```

### 5. Create host and other principals; extract to /etc/krb5.keytab

```
kadmin.local: ank -randkey host/fully.qualified.domain.name
kadmin.local: xst -k /etc/krb5.keytab host/fully.qualified.domain.name
```

```
**6.** Create admin, user principals
kadmin.local: ank krb5adminprinc/admin
kadmin.local: ank krb5userprinc
kadmin.local: quit
```

### 7. Create startup script /etc/rc.d/rc.krb5

rc.krb5 - shamelessly ripped off from rc.samba from Slackware 13.0

```
#!/bin/sh
#
# /etc/rc.d/rc.krb5
#
# Start/stop/restart the MIT Kerberos V KDC
#
# To make Kerberos start automatically at boot, make this
# file executable:  chmod 755 /etc/rc.d/rc.krb5
#

krb5_start() {
    if [ -x /usr/kerberos/sbin/krb5kdc -a -x /usr/kerberos/sbin/kadmind -a -r
/etc/krb5.conf -a -r /var/krb5kdc/kdc.conf ]; then
        echo "Starting Kerberos: /usr/kerberos/sbin/krb5kdc"
        /usr/kerberos/sbin/krb5kdc
        echo "                /usr/kerberos/sbin/kadmind"
        /usr/kerberos/sbin/kadmind
    fi
}
```

```
}

krb5_stop() {
    killall krb5kdc kadmind
}

krb5_restart() {
    krb5_stop
    sleep 2
    krb5_start
}

case "$1" in
'start')
    krb5_start
    ;;
'stop')
    krb5_stop
    ;;
'restart')
    krb5_restart
    ;;
*)
    # Default is "start", for backwards compatibility with previous
    # Slackware versions. This may change to a 'usage' error someday.
    krb5_start
esac
```

## 8. Start KDC daemons:

```
# chmod +x /etc/rc.d/rc.krb5
# /etc/rc.d/rc.krb5 start
```

## 9. Remember to make the rc.krb5 script executable if you want the KDC to start automatically at boot. Verify connectivity to KDC with kadmin, kinit:

```
$ kinit krb5userprinc
$ klist
$ kadmin -p krb5adminprinc/admin
```

## The Client

This procedure will result in a client capable of retrieving Kerberos tickets from a KDC and allow Kerberos principals to login at the console. Successful console login by a principal will generate tickets in the user's cache. Failed login by a principal (because the principal doesn't exist, or the wrong password was supplied) should fall through to local authentications (/etc/shadow). Note: the principal must be associated with an account on the system, either in the local passwd database or via a network system such as NIS or LDAP.

**1.** Install krb5 always <http://slackbuilds.org/repository/14.1/network/krb5/> 😊. **2.** Setup /etc/krb5.conf: **krb5.conf**

```
[domain_realm]
    example.com = EXAMPLE.COM
    .example.com = EXAMPLE.COM

[libdefaults]
    default_realm = EXAMPLE.COM
    dns_kdc_lookup = true
    dns_realm_lookup = true
    forwardable = true
    renewable = true

[realms]

EXAMPLE.COM = {
    kdc = kerberos-1.example.com:88
    kdc = kerberos-2.example.com:88
    admin_server = kerberos-1.example.com:749
}
```

**3.** Verify kadmin, kinit working

```
$ kinit krb5userprinc
$ klist
$ kadmin -p krb5adminprinc/admin
```

**4.** Add host principal, and extract host principal to /etc/krb5.keytab using kadmin and admin principal:

```
# kadmin -p krb5adminprinc/admin
kadmin: ank -randkey host/fully.qualified.domain.name
kadmin: xst -k /etc/krb5.keytab host/fully.qualified.domain.name
kadmin: quit
```

## Sources

\* Original source: <http://arktur.shuttle.de/CD/Testpakete/Kerberos/krb5.html> \* Contributions by [User jamesaxl](#)

[howtos](#), [network services](#), [kerberizing slackware without pam](#)

From:

<https://docs.slackware.com/> - **SlackDocs**

Permanent link:

[https://docs.slackware.com/howtos:network\\_services:kerberizing\\_slackware\\_without\\_pam](https://docs.slackware.com/howtos:network_services:kerberizing_slackware_without_pam)

Last update: **2015/11/28 03:46 (UTC)**

