

A wonderful article, noryungi. Thank you for your submission. — [V. T. Eric Layton](#) 2012/08/26 13:48

May I recommend adding a section describing use of keys and suppressing passwords — [mfillpot](#) 2012/08/26 16:51

> yes imho it is important to talk about keys — [asteroid](#) Wed Aug 29 21:15:21 CEST 2012

Good suggestion.

Off-topic, Matthew... you asked me elsewhere how to track comments/changes on wiki pages. For instance, to track this page, you need to subscribe to it by clicking on [manage subscriptions](#) above and making your choices. :) — [V. T. Eric Layton](#) 2012/08/26 14:12

Changed '/etc/rc.d/rc.ssh restart' to '/etc/rc.d/rc.sshd restart'. — [David Allen](#) 2012/08/26 17:51

David Allen: Thanks for the correction!

To everyone: thanks for the good words. I'll add a sub-section on OpenSSH keys soon. – Noryungi.

Just created the page about SSH keys. Go there and let me know what you think! – Noryungi.

—

Make sure you like the bit about -Alternate method of Changing the SSH default port with out changing, and feel it belongs here. I should have asked first before adding sorry. Ricky_Cardo

—

With the [openssh security patch that came out 14th Jan 2016](#) the default for sshd root login has changed to prohibit-password

if you actually do want to log in the old way as root, you'll need PermitRootLogin yes in the /etc/ssh/sshd_config file — [tim](#) 2016/01/18 21:09

From:

<https://docs.slackware.com/> - **SlackDocs**

Permanent link:

<https://docs.slackware.com/talk:howtos:security:ssh>

Last update: **2016/01/18 21:11 (UTC)**

